

## Voltage variation / PFMF

## VMT/VVT/MFT series



### As per

- > EN/IEC 61000-4-8
- > EN/IEC 61000-4-11
- > GB/T 17626.8
- > GB/T 17626.11

### Description

VVT/VMT/MFT series can be equipped with CCS simulator to produce voltage dip, interruption and variation to conduct automatic test. Test system can be communicated by Ethernet bus and controlled by EMSLab.

### Features

- > Electromagnetic relay protection if voltage or current more than rated value
- > Protection function for over temperature
- > CN25 bus for connection
- > Programmable set for voltage, polarity and phase angle by software to save time

### Industries

- |                 |                    |
|-----------------|--------------------|
| > Communication | > IT               |
| > Telecom       | > Military         |
| > Medical       | > Avionics         |
| > Broadcast     | > New energy       |
| > Railway       | > Electric Vehicle |

General Data	
Power supply	AC 110V/220V, $\pm 10\%$ , 50/60Hz
Fuse	6A
Max. power consumption	50W
External control	25 pin parallel line
Working indicator	LED display on front panel
Grounding connection	Flat grounding line
EUT power injection	4mm banana line
Output mode	1m coaxial cable
Dimension	19" /6U
Weight	Approx. 68kg (different models have different weight)
Temperature	15-35°C
Humidity	45%-75%
Air pressure	86kPa-106kPa

Power fail test as per IEC 61000-4-11 & IEC 61000-4-34	
Technical parameters of single phase AC and DC voltage dip, short interruption and variation as per IEC/EN61000-4-11, GB/T17626.11 and IEC/EN61000-4-34, GB/T17626.34	
EUT Max voltage	250V AC
EUT max current	16A continuous current; 500A impulse current;
Max. input mains	Single phase 220V $\pm 5\%$ , 50/60Hz $\pm 5\%$
Voltage dip level	0-100%
Voltage interruption level	0%
Voltage variation level	0-100%
Decrease time for voltage variation	500ms-6000ms (50%-100%) or 1-5us (100 ohm load) 1000ms-6000ms (0%-100%) or 1-5us (100 ohm load)
Increase time for voltage variation	500ms-6000ms (50%-100%) 1000ms-6000ms (0%-100%)

PFMF test	
Standards	IEC/EN 61000-4-8、GB/T 17626.8
Magnetic field intensity	TCXS111 single-turn 1m*1m square magnetic coil: 1-100A/m continuous,100-400A/m(1-10s short time) TCXS113 three-turn 1m*1m square magnetic coil : 1-300A/m continuous, 300-1200A/m (1~10s short time)
Waveform	50Hz/60Hz sine wave
THID	<5%
Output current	1A-500A
Waveform interval	1-9999s
Test duration	1-28800s
Trigger mode	Auto, manual, extern
Coil size	1000*1000 mm or others
Coil shape	Rectangle or as the special requirements
Number of turns	single-turn or three-turn
Magnetic intensity	Can be programmable

Accessories	
1. VMT, VVT, MFT	6. 25 pin parallel line
2. power cable	7. factory report
3.EUT supply cable, 4mm <sup>2</sup> banana plug	8. user manual
4. Ground wire, 5 m	
5. power cord of EUT	



## SUZHOU 3CTEST ELECTRONIC CO., LTD

### Headquarter

Unit 2, Anda Industrial park, Jinshan Rd, SND, Suzhou,  
 215011, China  
 Tel: +86-512-68413700/3800/3900  
 Fax: +86-512-68079795  
 http://www.3ctest.cn  
 Email: info@3ctest.cn

### BEIJING OFFICE

Room D 206, D block, Keshi Building, No.28, Shangdixinxi  
 Road, Haidian District, Beijing, China  
 Tel: +86-010-82899984/82899948  
 Fax: +86-010-82899943

### CHENGDU OFFICE

Room 1501, Unit 3, Ideal Centre, No.38 Tianyi Street, SND,  
 6100085, Chengdu, China  
 Tel: +86-028-85327800  
 Fax: +86-028-85311400

### SHENZHEN OFFICE

Room 805, Huawei Building, Xili Chaguang Road, Nanshan  
 District, Shenzhen, China.  
 Tel: +86-755-86626625/86344313  
 Fax: +86-755-26966255

### Xi'an Office

Add.: Room 2204, Visa Yinghai Building, Green land Central  
 Plaza, Jinye Road, Crossig of Zhangbasan Road, High-tech  
 district, Xi'an city, China.  
 Tel: +86-029-68985077/68985700  
 Fax: +86-029-68717677



### TAIWAN OFFICE

RICHTEC INSTRUMENTS CO., LTD  
 6F-5, No.130, Ln.235, Baoqiao Rd, Xindian District, New  
 Taipei City, 23145, Taiwan  
 Tel: +886-2-89121185 Fax: +886-2-89121812  
 Email: rich.tec@msa.hinet.net  
 http://www.richtec.com.tw



### TESTEK Co.,LTD

Address: 601Ho, SungwoonKoa, 141 Hyeonam-ro,  
 Suji-Gu, Yongin-Si, Gyeonggi-Do, 448-808  
 Tel: 070-4099-2072/H.P : 010-6500-6648  
 Email: woo@testek.co.kr  
 http://www.testek.co.kr, www.3ctest.co.kr



### Quantel Pte Ltd

Address: 46 Lorong 17 Geylang #05-02  
 Enterprise Industrial Building  
 Singapore 388568  
 Tel: +65 6745 3200  
 Email: info@quantel-global.com  
 https://www.quantel-global.com



### European Agency

Europe: AR Europe  
 Yvonne McGlinchey  
 ymcglinchey@ARWorld.US  
 +353 61 504300  
 Address: First Floor Ashling Building, National Technology  
 Park, Limerick, Ireland