


120mm Radiated Loop

FESP 5132



As per

- > EN 55103
- > ISO 11452-8
- > MIL-STD-461E

Description

Magnetic coil with a handle FESP 5132 can product standard magnetic field strength at 150 kHz voice frequency. It is mainly used for magnetic field immunity test as per EN 55103, MIL-STD-461 E and ISO 11452-8. The output magnetic field can be up to 1500A/m for short duration. The magnetic field is proportional to coil current. The distance of coil and EUT surface can be 50mm.

Features

- > Low frequency magnetic field immunity test as per ISO 11452-8, frequency range:15Hz – 150kHz
- > Magnetic field up to 1500A/m for short duration

Industries

- | | |
|-----------------|--------------|
| > Communication | > Technology |
| > Telecom | > Military |
| > Medical | > Avionics |
| > Broadcast | > New energy |
| > Railway | |

Technical parameters	
Diameter	120 mm
Turns	20
Wire diameter	2 mm copper (AWG 12)
Max. Coil current	20A, 5 min
Nominal coil current	10A continuous
Max. Magnetic field strength	1500 A/m, 5 min
Nominal magnetic field strength	750 A/m continuous
Magnetic field strength, 1A coil current (distance to loop: 50mm)	75.56 A/m (95 μ T)
Current for 1 A/m: (distance to loop: 50mm)	13.23 mA
Center of empty coil to measurement plane	50 mm
Mechanical dimension	0.16 m x 0.25 (0.3) m
Connection terminal	4 mm banana plug
Frequency range	15 - 150 kHz
Inductance	80 μ H
Resistance	0.3 Ω
Weight	1.2 kg

Accessories	
Connection cable	2
Calibration report	1
User manual	1



CONNECT 3CTEST

SUZHOU3CTEST ELECTRONIC CO., LTD

Unit 2, Anda Industrial park, Jinshan Rd, SND, Suzhou, 215011, China
Tel: +86-512-68413700/3800/3900
Fax: +86-512-68079795
Web: www.3ctest.cn
Email: info@3ctest.cn

SHENZHEN OFFICE

Room 402, the 4th floor, Fuan Technology Building, No.13,
Nanshan Technology Park, 518053, Shenzhen, China
Tel: +86-755-86626625/ 86344313
Fax: +86-755-26966255

HONGKONG OFFICE

One Commerce Center, 1201 Orange st, #600 Wilmington,
New Castle, DE19899, USA
Tel: +852-98289428
Email: protechk@protec-power.com Web: www.protec-power.com

Europe: AR Europe

Yvonne McGlinchey
ymcglinchey@ARWorldId.US
+353 61 504300
Address: First Floor Ashling Building, National Technology
Park, Limerick, Ireland

BEIJING OFFICE

Room D206, D block, Keshi Building, No.28, Shangdixinxin
Road, Haidian District, Beijing
Tel: +86-10-82899948/ 82899984
Fax: +86-10-82899943

CHENGDU OFFICE

Room 516, Unit 3, Ideal Centre, No.38 Tianyi Street, SND,
6100085, Chengdu, China
Tel: +86-28-85327800/85327600
Fax: +86-28-85311400

TAIWAN OFFICE

6F-5, No.130, Ln. 235, Baoqiao Rd,
Xindian District, New Taipei City, 23145, Taiwan
Tel: +886-2-89121185
Email: rich.tec@msa.hinet.net