


Coupling/decoupling network for power port

CDN M4/32



As per

- > IEC 61000-4-6
- > EN 61000-4-6
- > GB/T 17626.6

Description

Design and performance of coupling/decoupling network is clearly specified in IEC/EN 61000-4-6. Cable type and transferred signals used for each type of coupling/decoupling network are also specified in the standard.

CDN M4/32 is designed for three-phase 4-wire power cord as per IEC/EN 61000-4-6.

Features

- > Max.withstand current: 32A
- > for three-phase 4-wire power cord

Industries

- | | |
|-----------------|--------------|
| > Communication | > Technology |
| > Telecom | > Military |
| > Medical | > Avionics |
| > Broadcast | > New energy |
| > Railway | |

Technical parameters	
Model	CDN M4/32
Standard	IEC/EN 61000-4-6
Frequency range	150KHz-230MHz
Max. AC current (line to ground)	250V
Max. DC current (line to ground)	400V
Max. current	32A
RF input port (BNC)	<30V
EUT port type	4mm Banana(L1/L2/L3/N)
AE port type	4mm Banana(L1/L2/L3/N)
Common mode impedance (EUT)	
150KHz-26MHz	150Ω±20Ω
26MHz-80MHz	150Ω +60Ω /-45Ω
Differential voltage factor (RF input-EUT)	
150KHz-80MHz	9.5dB±1dB
80MHz-230MHz	9.5dB±2dB
Common mode interference suppression (RF port/ AE)	
150 kHz:	>35 dB
1.5 MHz:	>55 dB
30 MHz:	>55 dB
80 MHz:	>40 dB
230 MHz	>20 dB

Optional accessories	
CAL 100F	150Ω to 50Ω calibration device
CAL 150F	150Ω calibration device
CDN ADP M4	Calibration adapter
General data	
Weight	2.0kg
Size	Long ×wide ×high 21×13×10cm
Case material	Aluminum
Temperature	5°C - 40°C (operating condition)
Humidity	20% - 80% (operating condition)
Package case	Carton



CONNECT 3CTEST

SUZHOU3CTEST ELECTRONIC CO., LTD

Unit 2, Anda Industrial park, Jinshan Rd, SND, Suzhou, 215011, China
Tel: +86-512-68413700/3800/3900
Fax: +86-512-68079795
Web: www.3ctest.cn
Email: info@3ctest.cn

SHENZHEN OFFICE

Room 402, the 4th floor, Fuan Technology Building, No.13,
Nanshan Technology Park, 518053, Shenzhen, China
Tel: +86-755-86626625/ 86344313
Fax: +86-755-26966255

HONGKONG OFFICE

One Commerce Center, 1201 Orange st, #600 Wilmington,
New Castle, DE19899, USA
Tel: +852-98289428
Email: protechk@protec-power.com Web: www.protec-power.com

Europe: AR Europe

Yvonne McGlinchey
ymcglinchey@ARWorld.US
+353 61 504300
Address: First Floor Ashling Building, National Technology
Park, Limerick, Ireland

BEIJING OFFICE

Room D206, D block, Keshi Building, No.28, Shangdixinx
Road, Haidian District, Beijing
Tel: +86-10-82899948/ 82899984
Fax: +86-10-82899943

CHENGDU OFFICE

Room 516, Unit 3, Ideal Centre, No.38 Tianyi Street, SND,
6100085, Chengdu, China
Tel: +86-28-85327800/85327600
Fax: +86-28-85311400

TAIWAN OFFICE

6F-5, No.130, Ln. 235, Baoqiao Rd,
Xindian District, New Taipei City, 23145, Taiwan
Tel: +886-2-89121185
Email: rich.tec@msa.hinet.net